



## LAMORT (LICAR) DEINKING PLANT FOR SALES



- Installed new 2000
- Condition erected and in good condition
- Capacity 60 Tpd (40 BD)
- Can be used for a tissue paper and corrugated papers
- Location Europe 50 Hz

### Composed by:

- Rubber belt conveyor width 1.200 and length 15 mts
- High density pulper Lamort (Licar) size 12 m3, on stainless steel, with power motor 350 kW
- Pear Lamort Licar size 2 with holes diameter 6 mm, with set of valves on stainless steel power 55 kW
- Inclined screw Maule on stainless steel for to dry rejects pear year 1986
- Discharge pump Turo Egger





- High density cleaner Voith S3 with valves
- 1<sup>st</sup> Stage screen, Lamort ADS5 built on stainless steel, 1<sup>st</sup> stage holes plate 2,5 mm and 2<sup>nd</sup> stage slotted 0,35 mm
- Rejects on a Diabolo Lamort size 2 on stainless steel with holes plate 2 mm and control valves
- Vertical screen Voith GR10 on Iron, holes 2 mm year 1962
- 2 stainless steel vibrating screens K500 and K1000



- Deinking cell Lamort size 2 with regulation on stainless steel, with set of pumps
- Decanter outside tank on concrete
- Regulation BTG
- 3 stainless steel tanks for water
- **Cleaner section Kadant composed:**
  - 16 cones cyclotech CT15
  - 4 cones cyclotech CT15
  - 2 cones cyclotech CT15
- High speed washer





consultoría de  
tecnologías papeleras

**Consultoría de Tecnologías Papeleras, s.l.**

Rambla Salvador Samà, 95, 2<sup>o</sup> 1<sup>a</sup>

08800-Vilanova i la Geltrú

ESPAÑA

Teléfono 93 815 99 20

[www.ctpaper.com](http://www.ctpaper.com)



**EQUIPMENT ERECTED IN VERY GOOD CONDITION AND  
MAINTENANCE**

**ALSO SPARE PARTS AVAILABLE WITH THE LINE**