



TISSUE AND MG PAPER MACHINE FOR SALES



- Built by OVER and Recard
- Width on pope reel 2.620 mm (refilled 2.600 mm)
- Capacity: 20 – 70 Tpd
- Speed maximum 400 m/min
- Basis weight from 18 – 60 gr/m2
- Stock preparation: virgin pulp and clean waste paper
- **NOT ELECTRICAL/ELECTRONICAL PART AND CABINETS**

Stock preparation:

- Low density pulper 15 m3 consistency 12% with tromel for rejects
- HDC
- Maule Separplast for a capacity
- Key-Screen Maule capacity
- Disc refiner Black Clawson 18"
- Set of cleaners PALMAC
- 4 agitators + 60 m3 stainless steel tank
- Vertical screen Lamort





Tissue paper machine:

- Head box slice width 2.700 mm built by ST
- Fourdriner cantilever on stainless steel
- Yankee dryer diameter 3.600 mm and table width 2.800 mm with complete hood and 2 presses on a yankee
- Press work of the yankee 4 bars
- Conventional pope reel for diameter 1.600 mm
- Basis weight control FOMAT
- Slitter rewinder with 2 belt unwinder and diameter maximum rewind 1.300 mm
- Krofta capacity 1.500 l / min
- Motors, pumps, pipes, ...





consultoría de
tecnologías papeleras

consultoría de tecnologías papeleras, s.l.

Rambla Salvador Samà, 95, 2º 1ª

08800-Vilanova i la Geltrú

Telefono 93 815 99 20

Telefax 93 815 93 54

www.ctpaper.com

